# **MATERIAL SAFETY DATA SHEET — 16 Sections**

#### SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier Supernatural Brand Superleach 0-0-1				[WHMIS Classification]  Not Controled		
Product Use						
Water soluble plant fe	rtilizer					
Manufacturer's Name			Supplier's Name			
Rapidgrow Industries Inc.			Same as manufacturer.			
Street Address			Street Address			
20203 113B Ave.						
City Province		Province	City		Province	
Maple Ridge		ВС				
Postal Code Emergency Telephone		Postal Code Emergency Telephone		elephone		
V2X 0Z1	604 465 1	344/604 868 1689				
Date MSDS Prepared MSDS Prepared By			Phone Numb	per		
2012-10-13 Brian Franczuz			604	868 1698		

# SECTION 2 — COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients (specific)	%	CAS Number	$ \begin{array}{ccc} LD_{50} \text{ of Ingredient} & LC_{50} \text{ of Ing} \\ \textit{(specify species and route)} & (specify specify specific specify specific specify specify specific speci$	
Magnesium Sulfate	97.8	7487-88-9	ND	
Potassium Chloride	1.0	7447-40-7	Oral LD50: Acute 2500 g/kg [Guinea Pig], 2600 1500 mg/kg [Mouse]	mg/kg [Rat},
Potassium Sulfate	1.0	7778-80-5	Oral LD50 Acute: 6600mg/kg [Rat]	
Citric Acid	0.2	77-92-9	Oral LD50 Acute: 3000mg/kg [Rat	]

### **SECTION 3 — HAZARDS IDENTIFICATION**

Route of Entry	Skin Contact	XI Skin Absorption	☑ Eye Contact	☐ Inhalation	☐ Ingestion
[Emergency Overvi	iew]				
1	Skin Contac	t - Irritation could o	ccur with prolong	jed exposure to dr	y fertilizer or solution. Eye contact - Irritation
[WHMIS Symbols]	could occur	if dry fertilizer or so	olution contacts e	yes. Inhalation - v	ery low vapour activity, could produce noxious
[Potential Health Ef	•				
l	fumes and	respiratory tract irri	itation if heated. I	Ingestion - Excessi	sive ingestion may result in health hazard.
		ay include nausea, v	<u> </u>		

SECTION 4 — FIRST AID MEASURES
Skin Contact
Remove contaminated clothing. Flush affected area with water for 15 minutes. Wash affected area with mild soap and water. Get medical attention if irritation develops or persists.
Eye Contact
Immediately flush eyes with plenty of water. Remove any contact lenses (if easy to do) and continue flushing for 15 minutes. Get medical attention if irritation develops or persists.
Inhalation
If ammonia gas is inhaled from heated fertilizer and breathing has stopped, begin artificial respiration. If breathing is laboured, bive oxygen and seek medical attention.
Ingestion Immediately rinse mouth out with plenty of water. If within 30 minutes after ingestion, give person a small glass of water or milk. NEVER give anything by mouth to an unconscious person. Do not induce
vomiting unless instructed to do so by a physician or poison center. Seek medical attention immediately.
SAMPLE FORMAT PROVIDED BY THE WORKERS' COMPENSATION BOARD OF BRITISH COLLIMBIA



SECTION 5 — FIRE FI	GHTING MEASU	RES			
Flammable	lf yes	, under which conditions?			
☐ Yes ☑ No			+ <del>-</del>	an CCD1 and 6	
Means of Extinction	, <u>.</u>	water. Do not use wa lved in a fire. This			-
_	_	any fire or combustab er Flammable Limit (% by volume)			
Flashpoint (° C) and Method		er Flåmmable Limit (% by volume) IA		Lower Flammable Limit NA	(% by volume)
Autoignition Temperature (°C) ND	Explo	osion Data – Sensitivity to Impact		Explosion Data – Sensi	tivity to Static Discharge
Hazardous Combustion Products					
Ammonia, oxides of	nitrogen and ph	nosphorus, carbon m	onoxide, hy	drogen cyani	de.
[NFPA]					
SECTION 6 — ACCIDE	NTAL DELEASE	MEASIIDES			
Leak and Spill Procedures	NIAL RELEASE	WIEAGURES			
Contain the spill. Sweep up s	nilled material and use	or dispose of in an			
approved manner. Prevent e	<u> </u>	<u> </u>	 d areas.		
аррия (отаа	may mile materinaye, ee.				
SECTION 7 — HANDL	ING AND STORA	<u>GE</u>			
Handling Procedures and Equipment					
Avoid direct and prolonged of	contact with skin.				
Storage Requirements					
Store in cool, dry area in close	ed container or package	Keen containers closed at	all times. Do not	t reuse containers	
Store away from incompatible		<u> </u>			
otoro away mom moompatible	materiale. Goo with pro-	por porconar protocavo equi	pinona reop ou	to rodon or orman	211.
SECTION 8 — EXPOS	URE CONTROL /	PERSONAL PROTE	CTION		
Exposure Limits	☐ ACGIH TLV	☐ OSHA PEL		☐ Other (s	enecify)
0 17 5 1 1 0 1 1 ( )			-		————
Specific Engineering Controls (such as v	entilation, enclosed process)				
ventilate to control dust.					
Personal Protective Equipment					
	☑ Gloves ☑ Re	espirator 🗵 Eye	☐ Footwear	Clothing	☐ Other
If checked, please specify type					
Respiratory - Dust mask if co	onditions warrant.				
Eyes - Wear safety glasses	to avoid eye contact. D	o not wear contact lenses.			
Skin - Wear impermeable gl	oves to avoid skin conta	act.			

## SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Odour and Appearance	Odour Threshold (ppm)
Solid	Fine powder.	NA
Specific Gravity	Vapour Density (air = 1)	Vapour Pressure (mmHg)
NA	ND	ND
Evaporation Rate	Boiling Point (°C)	Freezing Point (°C)
ND	NA	NA
pH	Coefficient of Water/Oil Distribution	[Solubility in Water]

# **SECTION 10 — STABILITY AND REACTIVITY**

Chemical Stability ☐ Yes ☐ No	If no, under which conditions? Exposure to heat may result in build up of dangerous pressure. Strong oxidizer, reacts	
□ ies □ <b>A</b> ivo	violently upon contact of many organic substances, particularly paper and textile.	
Incompatibility with Other Substances	If yes, which ones?	
🗵 Yes 🗖 No	Strong acids, strong alkalies, oxidizers, organics.	
Reactivity, and under what conditions?		
Moist, wet conditions. Fire.		
Hazardous Decomposition Products		
Ammonia, oxides of nitrogen and phosphorus, carbon monoxide, hydrogen cyanide, sulfur oxides (S0x),		
Including sulfur oxide and sulfur dioxide, oxides of magnesium.		
including Sullur O	Alue allu Sullui uluxiue, uxiues ul maynesium.	

Effects of Acute Exposure			
Skin Contact - Irritation could occur with prolonged exposure to dry fertilizer or fertilizer solution. Contact with heated solution may cause			
thermal burns.			
Skin Absorption - Not known to be absorbed through the s	kin		
•	blashed in eyes or dry product contacts eyes. Heated material may cause thermal		
burns.	, , ,		
Effects of Chronic Exposure			
Inhalation - Very low vapour activity. If heated could relea	se ammonia gas. Can cause respiratory tract irritation.		
	alth hazard results, effects of overexposure may include nausea, vomiting,		
diarrhea, weakness or convulsions.			
diatrica, weakiness of convaisions.			
Irritancy of Product			
May cause minor irritation. Urea can ca	ause allergic reaction in some individuals.		
Skin Sensitization	Respiratory Sensitization		
May cause minor irritation.	Very low, if heated may cause irritation.		
Carcinogenicity – IARC	Carcinogenicity – ACGIH		
None known.	None known.		
Reproductive Toxicity	Teratogenicity		
None known.	None known.		
Embryotoxicity	Mutagenicity		
None known.	None known.		
Name of Synergistic Products/Effects	'		
ND			

Product Identifier		- 4
SECTION 12 — ECOLOGICAL IN	FORMATION	_
[Aquatic Toxicity] Prevent entry into waterway	ys, sewers, basements or confined areas.	
The LC50/96 - hour values	for fish are over 100mg/L	
SECTION 13 — DISPOSAL CONS	SIDERATIONS	
Waste Disposal		
Dispose of in non-crop areas away from w	aterways, in accordance with federal, provincial and local	regulations.
SECTION 14 — TRANSPORT INF	ORMATION	
Special Shipping Information  Not regulated by TDG.		
		PIN
TDG	[DOT]	
[IMO]	[ICAO]	
SECTION 15 — REGULATORY IN	FORMATION	
[WHMIS Classification]  Class C Oxidizer	[OSHA]	
[SERA]	[TSCA]	
This product	has been classified in accordance with the hazard cri	iteria of the
Controlled Products Regu	ulations (CPR) and the MSDS contains all of the inform	nation required by CPR.
SECTION 16 — OTHER INFORM	ATION	
NA = Not Applicable.		
ND = Not Determined.		